

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/917,025	07/27/2001	William Croasdale	RAY-122J	9659
7590 01/13/2005		EXAMINER		
Iandiorio & Teska 260 Bear Hill Road Waltham, MA 02451-1018			YE, LIN	
			ART UNIT	PAPER NUMBER
,			2615	
			DATE MAILED: 01/13/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/917,025	CROASDALE, WILLIAM				
Office Action Summary	Examiner	Art Unit				
	Lin Ye	2615				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 13 December 2004.						
2a)⊠ This action is FINAL . 2b)□ This action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>12-24 and 34</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>12-24 and 34</u> is/are rejected.	<u> </u>					
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>27 July 2001</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No.						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
	·					
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) 5) Notice of Informal Patent Application (PTO-152)						
Paper No(s)/Mail Date	6) Other:	atom / pproducti (1 10-102)				
U.S. Patent and Trademark Office	tion Summary Pa	rt of Paper No./Mail Date 01072005				

DETAILED ACTION

Response to Arguments

1. Applicant's amendments with respect to claims 12-124 and 34 filed on 12/13/04 have been considered but are most in view of the new ground(s) of rejection.

The applicant points out the Grober reference (U.S. Patent Publication No. 2003/0007795) discloses a control panel to remotely control the stabilization that was first introduced in the continuation-in-part application and is not also disclosed in the (09/579,723) parent application. The examiner agrees. For this reason, the previous final rejection is withdrawn. This office action is made by final again.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 12, 16-21, 24 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Galante U.S. Patent 3,258,595 in view of Sosoya JP. Publication 06-141211 and Shimura U.S. Patent 6,532,037.

Referring to claim 12, the Galante reference discloses in Figures 1-4, a photonic buoy (buoy 15 incorporating camera system 54, see Col. 4, lines 3-5 and lines 33-35) comprising:

a lengthy hull including a ballast portion of the hull (power plant 16, see Col. 3, lines 35) which resides below the waterline and a top portion of the hull (20, see Col. 3, lines 52-55) which is disposed above the waterline; an optical bench (dome-shaped parent material 35, see Col. 4, lines 8-11) including an imager (camera 54) at the top portion of the hull configured to provide view of the horizon; a workstation (remote control station 110 in Figure 4, see Col, 5, lines 68-75) remote from the hull, responsive to the optical bench, and including a display (112) for presenting a image on the display. However, the Galante reference only mention the camera (54) can zoom, pan and tilt for change field of view of camera (See Col. 4, lines 33-40), but does not explicitly show the optical bench can be configured to provide a panoramic view of horizon.

The Sosoya reference teaches in figures 2-3, an optical bench (2) at top potion of the antenna pillar (16) configured to provide a panoramic view of the horizon (the omni direction 360 degrees, see detailed description on [0017]). The Sosoya reference is evidence that one of ordinary skill in the art at the time to see more advantages for the camera system including a optic bench to acquire omnidirectional image at one time, so resultant the omnidirectional image is a real-time image without employing any mechanical means. For that reason, it would have been obvious one having ordinary skill in the art at the time of the invention was made to modify the system of the Galante by using the optical bench configured to provide a panoramic view of horizon as taught by Sosoya.

The Galante reference also only shows the buoy including a laser Receiver and amplifier and television transmitter (100, see Col. 5, lines 57-58) extending from the optical bench for

wireless transmitting video signals to a remote location (See Col. 5, lines 4-15), but it does not explicitly show a transmission cable for transmitting video signals to a remote location.

The Sosoya reference discloses in figures 2-3, a transmission cable extending from the optical bench (2) for transmitting video signals to a remote location (10). The Sosoya reference is evidence that one of ordinary skill in the art at the time to see more advantages for the camera system using a cable to transmission video signals to remote location instead of wireless transmitter so that the signal can be more clear and less noise without interference from outside environment. For that reason, it would have been obvious one having ordinary skill in the art at the time of the invention was made to modify the system of the Galante by providing a transmission cable for transmitting video signals to a remote location in the camera system as taught by Sosoya.

The Galante reference does not explicitly show the workstation including an image stabilization circuitry for presenting a composite image of the horizon on the display.

The Shimura reference teaches in Figures 1 and 4-7B, a camera system comprises a camera (100) and a panoramic image synthesizing apparatus (200) remote from camera (100) via the communication medium (150). The Panoramic image synthesizing apparatus (200) as a remote workstation includes the image stabilization circuitry (e.g., cylindrical conversion section 205) for converting a panoramic synthesis image (in Figure 5, without using the image stabilization circuitry 205) to a composite image of horizon as shown in Figure 6 by using the image stabilization circuitry (205) (see Col. 1, lines 46-53, and Col. 4, lines 43-47). The Shimura reference is evidence that one of ordinary skill in the art at the time to see more advantages for the camera system using the image stabilization circuitry for composite the

panoramic image of the horizon on the display so that a natural image can be obtained. For that reason, it would have been obvious one having ordinary skill in the art at the time of the invention was made to modify the system of the Galante by providing an image stabilization circuitry for presenting a composite image of the horizon on the display as taught by Shimura.

Referring to claim 16, the Sosoya reference includes a conical mirror inside the top portion of the hull (antenna pillar 16) surrounded by a transparent wall (Figure 3 clearly shows the wall is transparent, the light of image from outside A, B, C can directly through the wall to the conical mirror 12a) and a vertically oriented imager (CCD 14) aimed at the conical mirror (12a).

Referring to claim 17, the Galante, Sosoya and Shimura references do not explicitly state the conical mirror is also conical prism. Official Notice is taken that both the concept and the advantages of providing the optical bench can either use conical mirror or conical prism to provide a panoramic view of the horizon is well known and expected in the art. It would have been obvious to have more flexible designing options to choice using conical prism or conical mirror to provide omnidirectional image on the optical bench disclosed by Galante (e.g., It also should be noted that Applicant's failure to adequately traverse the Examiner's taking of Office Notice in the last office action mailed by 12/23/2003 is taken as an admission of the facts noticed).

Referring to claim 18 (depends on claims 16 or 17), the Sosoya reference discloses the imager (14) is a CCD camera (See detailed description on [0017]).

Referring to claim 19 (depends on claims 16 or 17), the Galante reference discloses the imager (camera 54) is an infrared camera (see Col. 4, lines 50-60).

Referring to claim 20, the Sosoya reference discloses a sensor (mixer 8) in the hull that detects the attitude to provide orientation information of the video imagery as shown in Figure 5(B) (See [0022]).

Referring to claim 21 (depends on claims 16 or 17), the Galante, Sosoya and Shimura references do not explicitly states the transmission cable includes optical fibers. Official Notice is taken that both the concept and the advantages of providing the optical fibers in the cable to transmitting the video image to remote location is well known and expected in the art. It would have been obvious to have optical fibers included in the transmission cable in Sosoya as this transmission media is known to provide to high speed and capacity of transmission rate (e.g., It also should be noted that Applicant's failure to adequately traverse the Examiner's taking of Office Notice in the last office action mailed by 12/23/2003 is taken as an admission of the facts noticed).

Referring to claim 24, the Galante reference discloses the ballast portion (Power plant 16) includes a weight disposed therein as shown in Figures 1-2.

Referring to claim 34, the Galante, Sosoya and Shimura references disclose all subject matter as discussed with respected to same comment as with claims 12.

Claims 13-14 and 22-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over
 Galante U.S. Patent 3,258,595 in view of Sosoya JP. Publication 06-141211, Shimura U.S.
 Patent 6,532,037 and Miller U.S. Patent 4,794,575.

Referring to claims 13-14, the Galante, Sosoya and Shimura references disclose all subject matter as discussed in respected claim 1, except the references do not explicitly states the ballast portion of the hull includes a first spool of transmission cable and the workstation is located on board a submarine which includes a second spool of the transmission cable.

The Miller reference teaches in Figures 1-2, a ballast portion of the hull (10) includes a first spool of transmission cable (spool 32) and a second spool of transmission cable (spool 34) which connect inside of workstation of submarine (See Col. 4, lines 50-67). The Miller reference is evidence that one of ordinary skill in the art at the time to see more advantages for having spools of transmission cable to extend or shear the length of cable in order launching or scuttling buoy and transmitting data easily. For that reason, it would have been obvious one having ordinary skill in the art at the time of the invention was made to modify the system of the Galante by providing the spool of the transmission cable as taught by Miller.

Referring to claims 22-23, the Galante, Sosoya and Shimura references disclose all subject matter as discussed in respected claim 1, except the references do not explicitly states the hull of buoy has a self scuttling plug therein and buoy can be launched by a submarine.

The Miller reference teaches in Figures 1-2, a buoy (10) is launched from the submarine via the after signal ejector, buoyantly ascends to the surface, and then transmits sea surface information back to the submarine via the data link. The buoy (10) includes a self scuttling plug (dissolving plugs 16, see Figure 5 and Col. 5, lines 62-68). The buoy has a diameter compatible with a launcher (ejector 50, see Col. 5, lines 17-31) as shown in Figure 2. The Miller reference is evidence that one of ordinary skill in the art at the time to see more

advantages for the submarine can launch a buoy in order to determine sea surface conditions and the buoy have a self scuttling plug to provide its sink in order to easily pull back the buoy to the submarine. For that reason, it would have been obvious one having ordinary skill in the art at the time of the invention was made to modify the system of the Galante by providing a self scuttling plug therein and the buoy can be launched by a submarine as taught by Miller.

5. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Galante U.S. Patent 3,258,595 in view of Sosoya JP. Publication 06-141211, Shimura U.S. Patent 6,532,037 and Gove U.S. Patent 5,973,733.

Referring to claim 15, the Galante, Sosoya and Shimura references disclose all subject matter as discussed in respected claim 12, except the references do not explicitly states the image stabilization circuitry which includes frame rate image processing software and hardware for stabilization instead that remotely controlling mechanical or optical ways for stabilization.

The Gove reference teaches in Figures 1-2, a video camera includes an image stabilization circuitry (28). The stabilization circuitry includes frame rate image processing software (algorithms 52) and hardware (processor 50) for stabilization (See Col. 3, lines 37-53). The Gove reference is evidence that one of ordinary skill in the art at the time to see the camera stabilization circuitry having frame rate image processing software and hardware for stabilization so that providing a relatively lower cost solution than the mechanical optical ways for stabilization (See Col. 1, lines 36-40 and Col. 2, lines 22-25). For that reason, it

Application/Control Number: 09/917,025

Art Unit: 2615

would have been obvious one having ordinary skill in the art at the time of the invention was made to modify the system of the Galante by providing it would have been obvious one having ordinary skill in the art at the time of the invention was made to modify the system of the Galante by providing a self scuttling plug therein and the buoy can be launched by a submarine as taught by Miller as taught by Gove.

Page 9

Conclusion

6. Applicant's arguments necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a).
Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lin Ye whose telephone number is (703) 305-3250. The examiner can normally be reached on Mon-Fri 8:00AM-5:00PM.

Application/Control Number: 09/917,025

Art Unit: 2615

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew B Christensen can be reached on (703) 308-9644. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Lin Ye January 7, 2005 ANDREW CHRISTENSEN SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600

Page 10